



Source details

Mathematics

Open Access ⓘ

Years currently covered by Scopus: from 2013 to 2024

Publisher: Multidisciplinary Digital Publishing Institute (MDPI)

E-ISSN: 2227-7390

Subject area: Mathematics: General Mathematics Engineering: Engineering (miscellaneous)
Computer Science: Computer Science (miscellaneous)

Source type: Journal

CiteScore 2023
4.0 ⓘ

SJR 2023
0.475 ⓘ

SNIP 2023
0.913 ⓘ

[View all documents >](#)

[Set document alert](#)

[Save to source list](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

CiteScore 2023

4.0 = $\frac{60,616 \text{ Citations } 2020 - 2023}{15,129 \text{ Documents } 2020 - 2023}$

Calculated on 05 May, 2024

CiteScoreTracker 2024 ⓘ

3.9 = $\frac{57,217 \text{ Citations to date}}{14,643 \text{ Documents to date}}$

Last updated on 08 July, 2024 • Updated monthly

CiteScore rank 2023 ⓘ

Category	Rank	Percentile
Mathematics		
General Mathematics	#38/399	90th
Engineering		
Engineering (miscellaneous)	#62/204	69th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)

About Scopus

- What is Scopus
- Content coverage
- Scopus blog
- Scopus API
- Privacy matters

Language

- 日本語版を表示する
- 查看简体中文版本
- 查看繁體中文版本
- Просмотр версии на русском языке

Customer Service

- Help
- Tutorials
- Contact us

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

All content on this site: Copyright © 2024 Elsevier B.V. ↗, its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the Creative Commons licensing terms apply. We use cookies to help provide and enhance our service and tailor content.By continuing, you agree to the use of cookies ↗.



Mathematics

COUNTRY

Switzerland



Universities and
research institutions in
Switzerland



Media Ranking in
Switzerland

SUBJECT AREA AND CATEGORY

Computer Science
Computer Science
(miscellaneous)

Engineering
Engineering
(miscellaneous)

Mathematics
Mathematics
(miscellaneous)

PUBLISHER

Multidisciplinary Digital
Publishing Institute (MDPI)

H-INDEX

68

PUBLICATION TYPE

Journals

ISSN

22277390

COVERAGE

2013-2023

INFORMATION

[Homepage](#)

[How to publish in this
journal](#)

[jtenreiromachado@gmail.c
om](mailto:jtenreiromachado@gmail.com)

SCOPE

-algebraic geometry- algebraic topology- analysis of PDEs- category theory- classical analysis and ODEs- combinatorics- commutative algebra- complex variables- differential geometry- dynamical systems- functional analysis- general mathematics- general topology- geometric topology- group theory- history and overview- information theory- K-theory and homology- logic- mathematical physics- metric geometry- number theory- numerical analysis- operator algebras- optimization and control- probability- quantum algebra- representation theory- rings and algebras- spectral theory- statistics theory- symplectic geometry- geometric analysis- variational problems- mathematical finance- harmonic analysis- computer science- quantum theory- mathematical and computational biology












Join the conversation about this journal



FIND SIMILAR JOURNALS ?

1 Axioms CHE 68% similarity	2 Open Mathematics DEU 56% similarity	3 AIMS Mathematics USA 56% similarity	4 Computational Mathematics USA 5 si
---	---	---	--






← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scima
```

SCImago Graphica

Explore, visually communicate and make sense of data with our **new data visualization tool**.



Metrics based on Scopus® data as of March 2024

M **mathematics is Q1 or Q2? frankly speaking** 2 months ago


mathematics is Q1 or Q2? frankly speaking

reply



The Role of the Table of Games in the Discrete Thermostatted Kinetic Theory

Volume 12 · Issue 15 August-1 2024





[Mathematics] Manuscript ID: mathematics-3108376 - Accepted for Publication

1 Message

From: **Mathematics Editorial Office** <mathematics@mdpi.com>

Fri, Aug 2, 2024, 7:25 PM

Subject: [Mathematics] Manuscript ID: mathematics-3108376 - Accepted for Publication

To: Nuttapol Pakkaranang <nuttapol.pak@pcru.ac.th>

Cc: Aliyu Muhammed Awwal <maaliyu@gsu.edu.ng>, Mahmoud Muhammad Yahaya <mahmoudpd@gmail.com>, Nattawut Pholasa <nattawut_math@hotmail.com>, Mathematics Editorial Office <mathematics@mdpi.com>, Tessa Sun <tessa.sun@mdpi.com>

Dear Dr. Pakkaranang,

Congratulations on the acceptance of your manuscript, and thank you for submitting your work to Mathematics:

Manuscript ID: mathematics-3108376

Type of manuscript: Article

Title: A new variant of the conjugate descent method for solving unconstrained optimization problems and applications

Authors: Aliyu Muhammed Awwal, Mahmoud Muhammad Yahaya, Nuttapol Pakkaranang, Nattawut Pholasa *

Received: 30 Jun 2024

E-mails: maaliyu@gsu.edu.ng, mahmoudpd@gmail.com, nuttapol.pak@pcru.ac.th, nattawut_math@hotmail.com

Dynamical Systems

https://www.mdpi.com/journal/mathematics/sections/dynamic_systems

New Trends in Nonlinear Analysis

https://www.mdpi.com/journal/mathematics/special_issues/72NO3XUDVL

https://susy.mdpi.com/user/manuscripts/review_info/4a5e85a3fe16281ca41ff4394f6ab864

We will now edit and finalize your paper, which will then be returned to you for your approval. Within the next couple of days, an invoice concerning the article processing charge (APC) for publication in this open access journal will be sent by email from the Editorial Office in Basel, Switzerland.

If, however, extensive English edits are required to your manuscript, we will need to return the paper requesting improvements throughout.

We encourage you to set up your profile at SciProfiles.com, MDPI's researcher network platform. Articles you publish with MDPI will be linked to your SciProfiles page, where colleagues and peers will be able to see all of your publications, citations, as well as other academic contributions.

We also invite you to contribute to Encyclopedia (<https://encyclopedia.pub>), a scholarly platform providing accurate information about the latest research results. You can adapt parts of your paper to provide valuable reference information, via Encyclopedia, for others both within the field and beyond.

Kind regards,
Francisco Chiclana
Editor-in-Chief

Reviewer 3

Comments and Suggestions for Authors

This paper introduces a new variant of the conjugate descent method for unconstrained optimization, demonstrating its effectiveness through numerical experiments and signal processing applications. The approach is shown to produce descending search directions and global convergence under common conditions. The method's performance, tested against benchmark problems, outperforms existing algorithms, indicating potential for broad application in sciences and engineering. Followings are my concerns:

1. Could authors clarify the selection criteria for the benchmark test problems used in your numerical experiments?
2. The introduction would benefit from a more detailed discussion on the limitations of existing conjugate descent methods which your variant seeks to address.
3. Can authors discuss any computational trade-offs involved in implementing the new variant compared to existing methods?
4. To show the importance of the topic, more related works could be reviewed such as "A collaborative neurodynamic approach to multiobjective optimization".
5. The discussion would benefit from a deeper analysis of the convergence behaviors observed in the experiments, possibly through a comparative study with other well-known methods under varying conditions.
6. In the context of signal processing applications shown, how does the method handle large datasets and real-time processing constraints?
7. In the entitle the authors should be changed to be "A New Variant of the Conjugate Descent Method for Solving Unconstrained Optimization Problems and Applications" to fit with the scope of main results.

[Sign In / Sign Up \(/user/login\)](/user/login)[Submit \(https://susy.mdpi.com/user/manuscripts/upload?journal=mathematics\)](https://susy.mdpi.com/user/manuscripts/upload?journal=mathematics)

Search for Articles:

Advanced Search

[Journals \(/about/journals\)](/about/journals) [Mathematics \(/journal/mathematics\)](/journal/mathematics) [Editorial Board](#) /

IMPACT
FACTOR

CITESCORE

Journal


[Journal Menu](#)

2.3

4.0

[\(/journal/mathematics/stats\)](/journal/mathematics/stats)<https://www.scopus.com/sourceid/21100830702>

- [Mathematics Home \(/journal/mathematics/\)](/journal/mathematics/)
- [Aims & Scope \(/journal/mathematics/about\)](/journal/mathematics/about)
- [Editorial Board \(/journal/mathematics/editors\)](/journal/mathematics/editors)
- [Reviewer Board \(/journal/mathematics/submission_reviewers\)](/journal/mathematics/submission_reviewers)
- [Topical Advisory Panel \(/journal/mathematics/topical_advisory_panel\)](/journal/mathematics/topical_advisory_panel)
- [Instructions for Authors \(/journal/mathematics/instructions\)](/journal/mathematics/instructions)
- [Special Issues \(/journal/mathematics/special_issues\)](/journal/mathematics/special_issues)
- [Topics \(/topics?journal=mathematics\)](/topics?journal=mathematics)
- [Sections & Collections \(/journal/mathematics/sections\)](/journal/mathematics/sections)
- [Article Processing Charge \(/journal/mathematics/apc\)](/journal/mathematics/apc)
- [Indexing & Archiving \(/journal/mathematics/indexing\)](/journal/mathematics/indexing)
- [Editor's Choice Articles \(/journal/mathematics/editors_choice\)](/journal/mathematics/editors_choice)
- [Most Cited & Viewed \(/journal/mathematics/most_cited\)](/journal/mathematics/most_cited)
- [Journal Statistics \(/journal/mathematics/stats\)](/journal/mathematics/stats)
- [Journal History \(/journal/mathematics/history\)](/journal/mathematics/history)
- [Journal Awards \(/journal/mathematics/awards\)](/journal/mathematics/awards)
- [Society Collaborations \(/journal/mathematics/societies\)](/journal/mathematics/societies)
- [Conferences \(/journal/mathematics/events\)](/journal/mathematics/events)
- [Editorial Office \(/journal/mathematics/editorial_office\)](/journal/mathematics/editorial_office)



Journal Browser

► Journal Browser

► [Forthcoming issue \(/2227-7390/12/15\)](/2227-7390/12/15)

► [Current issue \(/2227-7390/12/14\)](/2227-7390/12/14)

[Vol. 12 \(2024\) \(/2227-7390/12\)](/2227-7390/12)

[Vol. 11 \(2023\) \(/2227-7390/11\)](/2227-7390/11)

[Vol. 10 \(2022\) \(/2227-7390/10\)](/2227-7390/10)

[Vol. 9 \(2021\) \(/2227-7390/9\)](/2227-7390/9)

[Vol. 8 \(2020\) \(/2227-7390/8\)](/2227-7390/8)

[Vol. 7 \(2019\) \(/2227-7390/7\)](/2227-7390/7)

[Vol. 6 \(2018\) \(/2227-7390/6\)](/2227-7390/6)

[Vol. 5 \(2017\) \(/2227-7390/5\)](/2227-7390/5)

[Vol. 4 \(2016\) \(/2227-7390/4\)](/2227-7390/4)

[Vol. 3 \(2015\) \(/2227-7390/3\)](/2227-7390/3)

[Vol. 2 \(2014\) \(/2227-7390/2\)](/2227-7390/2)

[Vol. 1 \(2013\) \(/2227-7390/1\)](/2227-7390/1)

Publishing
Academic
Open Access
Books and
Reprints

Discover our
Open Access
Books
Library here!

[Find out more →](#)

Affiliated Society:




https://serve.mdpi.com/www/my_files/cliik.php?oaparan

Editorial Board



- **Algebra, Geometry and Topology Section**
(/journal/mathematics/sectioneditors/algebraic_geometry_topology)
- **Computational and Applied Mathematics Section**
(/journal/mathematics/sectioneditors/computational_mathematics)
- **Difference and Differential Equations Section**
(/journal/mathematics/sectioneditors/difference_differential_equations)
- **Dynamical Systems Section** (/journal/mathematics/sectioneditors/dynamic_systems)
- **Engineering Mathematics Section**
(/journal/mathematics/sectioneditors/engineering_mathematics)
- **Financial Mathematics Section** (/journal/mathematics/sectioneditors/financial_mathematics)

- **Functional Interpolation Section**
([/journal/mathematics/sectioneditors/functional_interpolation](http://journal/mathematics/sectioneditors/functional_interpolation))
- **Fuzzy Sets, Systems and Decision Making Section**
([/journal/mathematics/sectioneditors/fuzzy_sets_theory](http://journal/mathematics/sectioneditors/fuzzy_sets_theory))
- **Mathematical Biology Section** ([/journal/mathematics/sectioneditors/mathematical_biology](http://journal/mathematics/sectioneditors/mathematical_biology))
- **Mathematical Physics Section** ([/journal/mathematics/sectioneditors/mathematical_physics](http://journal/mathematics/sectioneditors/mathematical_physics))
- **Mathematics and Computer Science Section**
([/journal/mathematics/sectioneditors/mathematics_computers_science](http://journal/mathematics/sectioneditors/mathematics_computers_science))
- **Network Science Section** ([/journal/mathematics/sectioneditors/network_science](http://journal/mathematics/sectioneditors/network_science))
- **Probability and Statistics Section**
([/journal/mathematics/sectioneditors/probability_and_statistics_theory](http://journal/mathematics/sectioneditors/probability_and_statistics_theory))



Please note that the order in which the Editors appear on this page is alphabetical, and follows the structure of the editorial board presented on the MDPI website under information for editors: **[editorial board responsibilities \(/editors#Editorial Board Responsibilities\)](http://editors#Editorial_Board_Responsibilities)**.

Members

Search by first name, last name, affiliation,



Francisco Chiclana *

<https://recognition.webofsciencegroup.com/awards/highly-cited/2020/>) **Website**
(<http://www.tech.dmu.ac.uk/~chiclana/>)

Editor-in-Chief

School of Computer Science and Informatics, De Montfort University, The Gateway, Leicester LE1 9BH, UK

Interests: fuzzy decision making; fuzzy preference modeling; decision support systems; consensus; recommender systems; social networks; rationality/consistency; aggregation; type-2 fuzzy logic; opinion dynamics; trust propagation

* Section: Fuzzy Sets, Systems and Decision Making

[Special Issues, Collections and Topics in MDPI journals](#)



Adolfo Ballester-Bolinches *

Website (https://www.researchgate.net/profile/Adolfo_Ballester-Bolinches)

Section Editor-in-Chief

Departament de Matemàtiques, Universitat de València, Dr. Moliner, 50, 46100 Burjassot, València, Spain

Interests: abstract group theory; finite groups; infinite groups; braces; Yang-Baxter equation; automata theory; formal language theory

* Section: Algebra, Geometry and Topology

[Special Issues, Collections and Topics in MDPI journals](#)



Prof. Michel Chipot *


Website (<http://user.math.uzh.ch/chipot/>)

Section Editor-in-Chief

Institut für Mathematik, Angewandte Mathematik, Winterthurerstrasse 190, CH-8057 Zürich, Switzerland

Interests: variational inequalities; nonlinear problems; elliptic equations and systems; parabolic equations; calculus of variations; applications; numerical analysis

* Section: Dynamical Systems



Prof. Manuel De León *

Website (<http://shorturl.at/lrKTX>)

Section Editor-in-Chief

Instituto de Ciencias Matemáticas (CSIC-UAM-UC3M-UCM), Calle Nicolás Cabrera, 13-15, Campus Cantoblanco, UAM, 28049 Madrid, Spain

Interests: differential geometry; geometric mechanics; mathematical physics

* Section: Mathematical Physics

Special Issues, Collections and Topics in MDPI journals



Prof. Antonio Di Crescenzo *

Website (<https://docenti.unisa.it/005305/home>)

Section Editor-in-Chief

Department of Mathematics, University of Salerno, I-84100 Salerno, Italy

Interests: stochastic processes; applied probability; probability theory; stochastic models

* Section: Probability and Statistics

Special Issues, Collections and Topics in MDPI journals



Prof. Paolo Mercorelli *

Website (<https://www.leuphana.de/en/institutes/ppi/staff/paolo-mercorelli.html>)

Section Editor-in-Chief

Institute for Production Technology and Systems (IPTS), Leuphana Universität Lüneburg, 21335 Lüneburg, Germany

Interests: control systems; mechatronics; actuators; engines control; signal processing; wavelets; Kalman filter; optimal energy control

* Section: Engineering Mathematics. Associate Editor

Special Issues, Collections and Topics in MDPI journals



Prof. Marjan Mernik *


Website (<https://recognition.webofsciencegroup.com/awards/highly-cited/2020/>) **Website** (<https://lpm.feri.um.si/en/members/mernik/>)

Section Editor-in-Chief

Faculty of Electrical Engineering and Computer Science, University of Maribor, Koroška cesta 46, 2000 Maribor, Slovenia

Interests: concepts and implementation of programming languages; formal language definition, attribute grammars; compiler generators; domain specific languages; grammar-based systems; grammatical inference; meta-heuristics, single and multi-objective optimization

* Section: Mathematics and Computer Science



Special Issues, Collections and Topics in MDPI journals



Prof. Daniele Mortari *

Website (<http://mortari.tamu.edu/>)

Section Editor-in-Chief

Department of Aerospace Engineering, Texas A&M University, 3141 TAMU, College Station, TX 77843-3141, USA

Interests: attitude and position determination systems; satellite constellations design; sensor data processing; algorithms and linear algebra

* Section: Functional Interpolation

Special Issues, Collections and Topics in MDPI journals



Prof. Matjaz Perc *

Website (<https://recognition.webofsciencegroup.com/awards/highly-cited/2020/>)

(<http://www.matjazperc.com/>)

Section Editor-in-Chief

Faculty of Natural Sciences and Mathematics, University of Maribor, Koroška Cesta 160, 2000 Maribor, Slovenia

Interests: statistical physics; cooperation; complex systems; evolutionary game theory; network science

* Section: Network Science

Special Issues, Collections and Topics in MDPI journals



Prof. Sergei Petrovskii *

Website (<https://le.ac.uk/people/sergei-petrovskii>)

Section Editor-in-Chief

Department of Mathematics, University of Leicester, University Road Leicester, Leicester LE1 7RH, UK

Interests: mathematical ecology; theoretical ecology; biological invasions; spatial ecology; movement ecology

* Section: Mathematical Biology

Special Issues, Collections and Topics in MDPI journals



Prof. Juan Ramón Torregrosa Sánchez *

Website (<http://damres.webs.upv.es>)

Section Editor-in-Chief

Institute for Multidisciplinary Mathematics, Universitat Politècnica de València, 46022 València, Spain

Interests: iterative processes; matrix analysis; numerical analysis

* Section: Computational and Applied Mathematics

Special Issues, Collections and Topics in MDPI journals



Prof. Masashi Dohi

Website (<https://home.hiroshima-u.ac.jp/dohi/e-profile.html>)

Associate Editor

Graduate School of Advanced Science and Engineering, School of Informatics and Data Sciences, Hiroshima University, 1-4-1 Kagamiyama, Higashihiroshima 7398527, Japan

Interests: stochastic model; reliability and maintenance; performance evaluation

Special Issues, Collections and Topics in MDPI journals



Dr. Yang-Hui He

Website (https://en.wikipedia.org/wiki/Yang-Hui_He)

Associate Editor

1. London Institute for Mathematical Sciences, Royal Institution, London W1S 4BS, UK

2. Merton College, University of Oxford, Oxford OX1 4JD, UK

Interests: AI-assisted mathematics; mathematical physics; string theory; algebraic geometry; number theory

Special Issues, Collections and Topics in MDPI journals



Ivanka Stamova

Website (<https://sciences.utsa.edu/faculty/profiles/stamova-ivanka.html>)

Associate Editor

Department of Mathematics, University of Texas at San Antonio, San Antonio, TX 78249, USA

Interests: nonlinear analysis; mathematical modeling; fractional order systems

Special Issues, Collections and Topics in MDPI journals



Prof. Michel L. Lapidus

Website (<https://math.ucr.edu/~lapidus/>)

Advisory Board Member

Department of Mathematics, University of California, Riverside 900 Big Springs Road, Surge 231, Riverside, CA 92521-0135, USA

Interests: mathematical physics; functional and harmonic analysis; geometric analysis; partial differential equations (PDEs); dynamical systems; spectral geometry; fractal geometry; connections with number theory; geometry and spectral theory; arithmetic geometry and noncommutative geometry

Special Issues, Collections and Topics in MDPI journals



Prof. Theodore E. Simos

Website (<https://recognition.webofsciencegroup.com/awards/highly-cited/2020/>) **Website**

(<http://theodoresimos.org/>)

Advisory Board Member


1. Laboratory of Applied Mathematics for Solving Interdisciplinary Problems of Energy Production, Ulyanovsk State Technical University, Severny Venetz Street 32, 432027 Ulyanovsk, Russia

2. Digital Industry REC, South Ural State University, 76, Lenin Avenue, 454080 Chelyabinsk, Russia

3. Section of Mathematics, Department of Civil Engineering, Democritus University of Thrace, 67100

Xanthi, Greece

Interests: numerical analysis; scientific computing; applied numerical analysis; computational chemistry; computational material sciences; computational physics; parallel algorithm and expert systems



Special Issues, Collections and Topics in MDPI journals



Prof. Dachun Yang

Website (<http://math0.bnu.edu.cn/~dcyang/index.html>)

Advisory Board Member

School of Mathematical Sciences, Beijing Normal University, Beijing 100875, China

Interests: harmonic analysis; function space; boundedness of operators

Special Issues, Collections and Topics in MDPI journals



Prof. James A. Yorke

Website (<https://ipst.umd.edu/people/james-a-yorke>)

Advisory Board Member

Department of Mathematics and Department of Physics, University of Maryland, College Park, MD 20742, USA

Interests: chaos theory; genome research; population dynamics; nonlinear dynamics



Prof. Ravi P. Agarwal

Website (<https://recognition.webofsciencegroup.com/awards/highly-cited/2020/>) **Website1**

(<https://www.scirp.org/Journal/detailedInforofeditorialboard.aspx?personid=8574>) **Website2**

(https://cikd.ca/former_associations/ravi-p-agarwal/)

Editorial Board Member

Emeritus Research Professor of Department of Mathematics and Systems Engineering, Florida Institute of Technology, Melbourne, FL 32901, USA

Interests: boundary value problems; nonlinear analysis; differential and difference equations; fixed point theory; general inequalities

Special Issues, Collections and Topics in MDPI journals



Prof. Pietro Aiena

Website (<https://www.researchgate.net/profile/Pietro-Aiena>)

Editorial Board Member

Dipartimento d'Ingegneria, Università di Palermo, Viale delle Scienze, 90128 Palermo, Italy

Interests: functional analysis; operator theory; spectral theory



Prof. Bedreddine Ainseba

Website (<https://www.math.u-bordeaux.fr/imb/fiche-personnelle?uid=bainse100p&lang=fr>)

Editorial Board Member

Institut de Mathématiques de Bordeaux (IMB) UMR CNRS 5251, Université de Bordeaux, 351 Cours de la Libération, 33405 Talence, France

Interests: population dynamics; age structured models; control theory



Dr. Javier Alcaraz

Website (<http://cio.edu.umh.es/en/investigadores/javier-alcaraz/>)

Editorial Board Member

Department of Statistics, Mathematics and Informatics, Miguel Hernandez University, 03202 Elche, Alicante, Spain

Interests: operations research; mathematical programming; data envelopment analysis (DEA); location; scheduling; algorithms; metaheuristics; rankings



Dr. Moldoveanu Alin

Website1 (<https://3d.pub.ro/team.html>) **Website2** (<https://scholar.google.ro/citations?user=KOW4SGAAAAAJ>)

Editorial Board Member

Faculty of Automatic Control and Computers, University Politehnica of Bucharest, 060042 Bucharest, Romania

Interests: VR; AR; MR; assistive systems; eHealth; eCulture; eLearning; software engineering

Special Issues, Collections and Topics in MDPI journals



Dr. David Edmund Allen

Website (<https://www.sydney.edu.au/science/about/our-people/academic-staff/d-allen.html>)

Editorial Board Member

School of Mathematics and Statistics, The University of Sydney, Sydney, NSW 2006, Australia

Interests: finance; investments; financial econometrics; financial economics; time-series

Special Issues, Collections and Topics in MDPI journals



Dr. George Anastassiou

Website (<https://www.memphis.edu/msci/people/ganastss.php>)

Editorial Board Member

Department of Mathematical Sciences, University of Memphis, Memphis, TN 38152, USA

Interests: computational analysis; approximation theory; probability; theory of moments



Dr. Ioannis Antoniou

Website (<http://users.auth.gr/~iantonio/IAEnglish.html>)

Editorial Board Member

Department of Statistics and Operational Research, Faculty of Sciences, School of Mathematics, Aristotle University of Thessaloniki, 54124 Thessaloniki, Greece

Interests: complex systems; networks; statistical mechanics; dynamical systems; chaos



Dr. Chris G. Antonopoulos

Website (<https://www.essex.ac.uk/people/anton17606/chris-antonopoulos>)

Editorial Board Member

School of Mathematics, Statistics and Actuarial Science (SMSAS), University of Essex, Wivenhoe Park, Colchester CO4 3SQ, UK

Interests: dynamical systems; nonlinear dynamics; chaos theory; mathematical modelling; complex behaviour; complex systems; complex networks; synchronisation and applications

Special Issues, Collections and Topics in MDPI journals



Dr. Juan Aparicio

ORCID iD (<https://orcid.org/0000-0002-0867-0004>)

Editorial Board Member

Center of Operations Research, Miguel Hernandez University, 03202 Elche, Alicante, Spain

Interests: efficiency; productivity; data envelopment analysis



Dr. Mar Arenas-Parra

ORCID iD (https://econo.uniovi.es/infoacademica/profesorado/-/asset_publisher/l2wl/content/arenas-parra-maria-del-mar?redirect=%2Finfoacademica%2Fprofesorado)

Editorial Board Member

Department of Quantitative Economics, University of Oviedo, Avda. Cristo, s/n. 33006 Oviedo, Spain

Interests: fuzzy decision making; fuzzy sets; multicriteria decision-making; fuzzy multi-criteria programming; possibilistic multi-criteria programming; economic-business applications



Dr. Ioannis K. Argyros

ORCID iD (<https://www.cameron.edu/computing-and-mathematical-sciences/faculty-staff>)

Editorial Board Member

Department of Mathematical Sciences, Cameron University, Lawton, OK 73505, USA

Interests: numerical analysis; numerical functional analysis; iterative methods for solving equations and systems of equations

Special Issues, Collections and Topics in MDPI journals

Displaying Editorial board member 1-30 on page 1 of 34.

Go to page [1](#) [2](#) (/journal/mathematics/editors?page_no=2) [3](#) (/journal/mathematics/editors?page_no=3) [4](#) (/journal/mathematics/editors?page_no=4) [5](#) (/journal/mathematics/editors?page_no=5) [...](#) (/journal/mathematics/editors?page_no=2) [...](#) (/journal/mathematics/editors?page_no=34)

Mathematics (</journal/mathematics>), EISSN 2227-7390, Published by MDPI

RSS (</rss/journal/mathematics>) **Content Alert** (</journal/mathematics/toc-alert>)

Further Information

Article Processing Charges (</apc>)

Pay an Invoice (</about/payment>)


Open Access Policy (</openaccess>)

Contact MDPI (</about/contact>)

Jobs at MDPI (<https://careers.mdpi.com>)



Guidelines



[For Authors \(/authors\)](/authors)

[For Reviewers \(/reviewers\)](/reviewers)

[For Editors \(/editors\)](/editors)

[For Librarians \(/librarians\)](/librarians)

[For Publishers \(/publishing_services\)](/publishing_services)

[For Societies \(/societies\)](/societies)

[For Conference Organizers \(/conference_organizers\)](/conference_organizers)

MDPI Initiatives

[Sciforum \(https://sciforum.net\)](https://sciforum.net)

[MDPI Books \(https://www.mdpi.com/books\)](https://www.mdpi.com/books)

[Preprints.org \(https://www.preprints.org\)](https://www.preprints.org)

[Scilit \(https://www.scilit.net\)](https://www.scilit.net)

[SciProfiles \(https://sciprofiles.com?utm_source=mdpi.com&utm_medium=bottom_menu&utm_campaign=initiative\)](https://sciprofiles.com?utm_source=mdpi.com&utm_medium=bottom_menu&utm_campaign=initiative)

[Encyclopedia \(https://encyclopedia.pub\)](https://encyclopedia.pub)

[JAMS \(https://jams.pub\)](https://jams.pub)

[Proceedings Series \(/about/proceedings\)](/about/proceedings)

Follow MDPI

[LinkedIn \(https://www.linkedin.com/company/mdpi\)](https://www.linkedin.com/company/mdpi)

[Facebook \(https://www.facebook.com/MDPIOpenAccessPublishing\)](https://www.facebook.com/MDPIOpenAccessPublishing)

[Twitter \(https://twitter.com/MDPIOpenAccess\)](https://twitter.com/MDPIOpenAccess)

Subscribe to receive issue release
notifications and newsletters from
MDPI journals

Select options ▼

Enter your email address...


Subscribe



[Disclaimer](#)

[Terms and Conditions \(/about/terms-and-conditions\)](#)

[Privacy Policy \(/about/privacy\)](#)



[Sign In / Sign Up \(/user/login\)](/user/login)

Submit (<https://susy.mdpi.com/user/manuscripts/upload?journal=mathematics>)

Search for Articles:

Advanced Search

[Journals \(/about/journals\)](/about/journals) / [Mathematics](#) /

**IMPACT
FACTOR**

CITESCORE

Journal Description

2.3

4.0


Mathematics (<https://www.mdpi.com/journal/mathematics/stats>)

(<https://www.scopus.com/sourceid/21100830702>)

Mathematics is a **peer-reviewed** (https://www.mdpi.com/editorial_process), open access journal which provides an advanced forum for studies related to mathematics, and is published semimonthly by MDPI. The **European Society for Fuzzy Logic and Technology (EUSFLAT)**

[Back to Top](#)

(<https://eusflat.org/members-membership.html>) and **International Society for the Study of Information (IS4SI)** (<http://is4si.org/>) are affiliated with *Mathematics* and their members receive a discount on article processing charges.



- **Open Access** (<https://www.mdpi.com/openaccess>) — free for readers, with **article processing charges (APC)** (<https://www.mdpi.com/journal/mathematics/apc>) paid by authors or their institutions.
- **High Visibility:** indexed within **Scopus** (<https://www.scopus.com/sourceid/21100830702>), **SCIE (Web of Science)** (https://mjl.clarivate.com/search-results?issn=2227-7390&hide_exact_match_fl=true&utm_source=mjl&utm_medium=share-by-link&utm_campaign=search-results-share-this-journal), **RePEc** (<http://www.repec.org/>), and **other databases** (<https://www.mdpi.com/journal/mathematics/indexing>).
- **Journal Rank:** JCR - Q1 (Mathematics) / CiteScore - Q1 (General Mathematics)
- **Rapid Publication:** manuscripts are peer-reviewed and a first decision is provided to authors approximately 17.1 days after submission; acceptance to publication is undertaken in 2.6 days (median values for papers published in this journal in the first half of 2024).
- **Recognition of Reviewers:** reviewers who provide timely, thorough peer-review reports receive vouchers entitling them to a discount on the APC of their next publication in any MDPI journal, in appreciation of the work done.
- **Sections:** published in 13 **topical sections** (<https://www.mdpi.com/journal/mathematics/sections>).
- **Companion journals for *Mathematics* include:** *Foundations* (<https://www.mdpi.com/journal/Foundations>), *Analytics* (<https://www.mdpi.com/journal/analytics>), *International Journal of Topology* (<https://www.mdpi.com/journal/ijt>), *Geometry* (<https://www.mdpi.com/journal/geometry>) and *Logics* (<https://www.mdpi.com/journal/logics>).

Impact Factor: 2.3 (2023); 5-Year Impact Factor: 2.2 (2023)

≡ **Imprint Information** (</journal/mathematics/imprint>) ↓ **Journal Flyer**

(/journal/mathematics/mathematics_flyer.pdf) **Open Access**

(<https://www.mdpi.com/about/openaccess>) **ISSN: 2227-7390**

Latest Articles

Open Access Article

37 pages, 819 KiB

</2227-7390/12/15/2433/pdf?version=1722873722>

Analytical Computation of Hyper-Ellipsoidal Harmonics (</2227-7390/12/15/2433>)

by **George Dassios** and **George Fragoyiannis**

Mathematics **2024**, 12(15), 2433; <https://doi.org/10.3390/math12152433> (registering DOI) - 5 Aug 2024

Abstract The four-dimensional ellipsoid of an anisotropic hyper-structure corresponds to the four-dimensional sphere of an isotropic hyper-structure. In three dimensions, both theories for spherical

Back to Top

and ellipsoidal harmonics have been developed by Laplace and Lamé, respectively. Nevertheless, in four dimensions, only the theory of hyper-spherical [...] [Read more.](#)

(This article belongs to the Special Issue **Applications of Partial Differential Equations in Mathematical Physics, 2nd Edition** (/journal/mathematics/special_issues/KE76UWF006)) 

Open Access Article 41 pages, 1181 KiB [\(/2227-7390/12/15/2432/pdf?version=1722870745\)](#)

A Sustainable Inventory Model with Advertisement Effort for Imperfect Quality Items under Learning in Fuzzy Monsoon Demand (/2227-7390/12/15/2432)

by Osama Abdulaziz Alamri, Navneet Kumar Lamba, Mahesh Kumar Jayaswal and Mandeep Mittal

Mathematics **2024**, 12(15), 2432; <https://doi.org/10.3390/math12152432> (registering DOI) - 5 Aug 2024

Abstract In this paper, we proposed a sustainable inventory model with a learning effect for imperfect quality items under different kinds of fuzzy environments like crisp, general fuzzy, cloudy fuzzy, and monsoon fuzzy. We divided the mathematical model into three parts under the learning [...] [Read more.](#)

(This article belongs to the Special Issue **Advances and Application of Fuzzy Sets, Decision Making and Soft Computing** (/journal/mathematics/special_issues/37X13L7Y1I))

Open Access Article 24 pages, 1061 KiB [\(/2227-7390/12/15/2431/pdf?version=1722869237\)](#)

A Dynamic Behavior Verification Method for Composite Smart Contracts Based on Model Checking (/2227-7390/12/15/2431)

by Jun Jin, Wen Hao Zhan, Hai Sheng Li, Yi Ding and Jie Li

Mathematics **2024**, 12(15), 2431; <https://doi.org/10.3390/math12152431> (registering DOI) - 5 Aug 2024

Abstract A composite smart contract can execute smart contracts that may belong to other owners or companies through external calls, bringing more security challenges to blockchain applications. Traditional static verification methods are inadequate for analyzing the dynamic execution of these contracts, resulting in misjudgment [...] [Read more.](#)

(This article belongs to the Special Issue **New Advances in Coding Theory and Cryptography, 2nd Edition** (/journal/mathematics/special_issues/V3P0KOQ51A))

Open Access Article 13 pages, 1262 KiB [\(/2227-7390/12/15/2430/pdf?version=1722865420\)](#)

A New Variant of the Conjugate Descent Method for Solving Unconstrained Optimization Problems and Applications (/2227-7390/12/15/2430)

by Aliyu Muhammed Awwal, Mahmoud Muhammad Yahaya, Nuttapol Pakkaranang and Nattawut Pholasa

Mathematics **2024**, 12(15), 2430; <https://doi.org/10.3390/math12152430> (registering DOI) - 5 Aug 2024

Abstract Unconstrained optimization problems have a long history in computational mathematics and have been identified as being among the crucial problems in the fields of applied sciences, engineering, and management sciences. In this paper, a new variant of the conjugate descent method for solving [...] [Read more.](#)

[Back to Top](#)[Top](#)

Optimal Production Strategies with Credit Sharing for Automakers under the Dual-Credit Policy ([/2227-7390/12/15/2429](https://doi.org/10.3390/math12152429))

by **Yongwei Cheng**

Mathematics **2024**, *12*(15), 2429; <https://doi.org/10.3390/math12152429> (registering DOI) - 5 Aug 2024

Abstract This paper investigates strategic production selections in scenarios of credit sharing between cooperative fuel vehicle (FV) automakers and new energy vehicle (NEV) automakers under the dual-credit policy. Three cooperation production strategies are formulated: the simultaneous production strategy, the FV priority production strategy, and [...] **Read more.**

Interactive Mesh Sculpting with Arbitrary Topologies in Head-Mounted VR Environments ([/2227-7390/12/15/2428](https://doi.org/10.3390/math12152428))

by **Xiaoqiang Zhu** and **Yifei Yang**

Mathematics **2024**, *12*(15), 2428; <https://doi.org/10.3390/math12152428> (registering DOI) - 5 Aug 2024

Abstract Shape modeling is a dynamic area in computer graphics with significant applications in computer-aided design, animation, architecture, and entertainment. Virtual sculpting, a key paradigm in free-form modeling, has traditionally been performed on desktop computers where users manipulate meshes with controllers and view the [...] **Read more.**

(This article belongs to the Section **Mathematics and Computer Science** ([/journal/mathematics/sections/mathematics_computers_science](https://journal.mathematics/sections/mathematics_computers_science)))

► Show Figures

(https://pub.mdpi-res.com/mathematics/mathematics-12-02428/article_deploy/html/images/mathematics-12-02428-g001-550.jpg?1722856707)

(https://pub.mdpi-res.com/mathematics/mathematics-12-02428/article_deploy/html/images/mathematics-12-02428-g002-550.jpg?1722856707)

(https://pub.mdpi-res.com/mathematics/mathematics-12-02428/article_deploy/html/images/mathematics-12-02428-g003-550.jpg?1722856708)

(https://pub.mdpi-res.com/mathematics/mathematics-12-02428/article_deploy/html/images/mathematics-12-02428-g004-550.jpg?1722856710)

(https://pub.mdpi-res.com/mathematics/mathematics-12-02428/article_deploy/html/images/mathematics-12-02428-g005-550.jpg?1722856710)

(https://pub.mdpi-res.com/mathematics/mathematics-12-02428/article_deploy/html/images/mathematics-12-02428-g006-550.jpg?1722856711) to Top

Article

A New Variant of the Conjugate Descent Method for Solving Unconstrained Optimization Problems and Applications

Aliyu Muhammed Awwal ^{1,2} , Mahmoud Muhammad Yahaya ³ , Nuttapol Pakkaranang ⁴ 
and Nattawut Pholasa ^{5,*} 

¹ Department of Mathematical Sciences, Faculty of Science, Gombe State University, Gombe 760214, Nigeria; maaliyu@gsu.edu.ng

² GSU-Mathematics for Innovative Research Group, Gombe State University, Gombe 760214, Nigeria

³ KMUTT-Fixed Point Theory and Applications Research Group, Theoretical and Computational Science Center (TaCS), Science Laboratory Building, Faculty of Science, King Mongkut's University of Technology Thonburi (KMUTT), 126 Pracha-Uthit Road, Bang Mod, Thrung Khru, Bangkok 10140, Thailand; mahmoudpd@gmail.com

⁴ Mathematics and Computing Science Program, Faculty of Science and Technology, Phetchabun Rajabhat University, Phetchabun 67000, Thailand; nuttapol.pak@pcru.ac.th

⁵ School of Science, University of Phayao, Phayao 56000, Thailand

* Correspondence: nattawut_math@hotmail.com

Abstract: Unconstrained optimization problems have a long history in computational mathematics and have been identified as being among the crucial problems in the fields of applied sciences, engineering, and management sciences. In this paper, a new variant of the conjugate descent method for solving unconstrained optimization problems is introduced. The proposed algorithm can be seen as a modification of the popular conjugate descent (CD) algorithm of Fletcher. The algorithm of the proposed method is well-defined, and the sequence of the directions of search is shown to be sufficiently descending. The convergence result of the proposed method is discussed under the common standard conditions. The proposed algorithm together with some existing ones in the literature is implemented to solve a collection of benchmark test problems. Numerical experiments conducted show the performance of the proposed method is very encouraging. Furthermore, an additional efficiency evaluation is carried out on problems arising from signal processing and it works well.

Keywords: conjugate descent; conjugate gradient method; unconstrained optimization; line search; signal processing

MSC: 65K05; 90C30; 90C06; 90C56



Citation: Awwal, A.M.; Yahaya, M.M.; Pakkaranang, N.; Pholasa, N. A New Variant of the Conjugate Descent Method for Solving Unconstrained Optimization Problems and Applications. *Mathematics* **2024**, *12*, 2430. <https://doi.org/10.3390/math12152430>

Academic Editors: Dhananjay Gopal and Carlo Bianca

Received: 30 June 2024

Revised: 2 August 2024

Accepted: 2 August 2024

Published: 5 August 2024



Copyright: © 2024 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

Consider the Euclidean n -dimensional real space equipped with the Euclidean norm $\|\cdot\|$. Many problems encountered in the sciences, engineering, and management sciences often take the following structure:

$$\min f(x), \quad x \in \mathbb{R}^n, \quad (1)$$

where the continuously smooth function is real-valued and assumed to be bounded below. Problem (1) is termed an unconstrained optimization problem, and it has attracted considerable attention from researchers in the last few decades due to its practical applications [1–7]. One of the popular methods often used to handle (1) is the conjugate gradient (CG) method, and this method uses the following iterative rule:

$$x^{(k+1)} := x^{(k)} + \alpha^{(k)} d^{(k)}, \quad k \geq 0, \quad (2)$$

where $x^{(k)}$ and $x^{(k+1)}$ are the current and next iterates, respectively. The positive scalar $\alpha^{(k)}$, known as the step length, and the $n \times 1$ nonzero vector $d^{(k)}$, called the search direction, are very crucial components of Formula (2). $\alpha^{(k)}$ is generally ascertained using a suitable line search strategy, which could be exact or inexact. Inexact line search procedures, such as the generalized Wolfe or strong Wolfe line searches, are the most appealing due to their relative ease of usage compared to the exact line search. Some of the frequently used inexact line search conditions have been discussed in Refs. [8–10].

The direction of search, d_k , for the minimizer takes the following structure:

$$d^{(k)} = -g^{(k)} + \psi^{(k)} d^{(k-1)}, \quad k \geq 0, \quad (3)$$

where $g^{(k)} \equiv \nabla f(x^{(k)})$. The scalar $\psi^{(k)}$, often known as the CG parameter, usually influences the behaviour of the search direction. If $k = 0$, then $\psi^{(k)} = 0$, otherwise, it is calculated via suitable formulations. Some of these formulations found in the literature are presented below:

$$\begin{aligned} \psi^{(k)HS} &= \frac{g^{(k)T} y^{(k-1)}}{d^{(k-1)T} y^{(k-1)}}, & \psi^{(k)PRP} &= \frac{g^{(k)T} y^{(k-1)}}{\|g^{(k-1)}\|^2}, & \psi^{(k)LS} &= \frac{g^{(k)T} y^{(k-1)}}{-g^{(k-1)T} d^{(k-1)}}, \\ \psi^{(k)FR} &= \frac{\|g^{(k)}\|^2}{\|g^{(k-1)}\|^2}, & \psi^{(k)CD} &= \frac{\|g^{(k)}\|^2}{-d^{(k-1)T} g^{(k-1)}}, & \psi^{(k)DY} &= \frac{\|g^{(k)}\|^2}{d^{(k-1)T} y^{(k-1)}}, \end{aligned}$$

where HS, PRP, LU, FR, CD, and DY denote Hestenes–Stiefel [11], Polak–Ribiere–Polyak (PRP) [12,13], Liu–Storey (LS) [14], Fletcher–Reeves (FR) [15], conjugate descent (CD) [16], and Dai–Yuan (DY) [17], respectively. All these parameters have their pros and cons, as discussed by different authors. Interested readers may refer to reference [18]. It was noted in the survey by Hager and Zhang [19] that if the objective function of problem (1) is strongly convex quadratic and the step length is determined using exact line search, then the above-listed CG parameters are equivalent in theory. The CD method has been shown to be sufficiently descending if $\alpha^{(k)}$ satisfies the condition of the strong Wolfe line search strategy, and consequently, global convergence is achieved. However, Hager and Zhang [19] noted that there is an example where the norm square of the search direction, $d^{(k)}$, increases rapidly, which results in the CD method failing to converge for the strong Wolfe line search in general.

This research focuses its attention on the set of CG methods whose parameters contain $\|g^{(k)}\|^2$ in their respective numerators. This set of CG methods is characterized by simplicity in implementation and low storage requirements. However, many authors have raised concerns about their numerical performance as they are affected by jamming phenomena. Hence, some authors proposed different modifications to mitigate the said shortcomings. For instance, some authors considered taking the hybrid of two different parameters to come up with another version that could be numerically efficient. Babaie-Kafaki [18] takes the HS and DY parameters based on the well-known conjugacy condition. The effect of the hybridization is evident, as the method performs better than its counterparts numerically. In addition, the author establishes the global convergence of the hybrid method under some assumptions. Another hybrid CG method found in the literature defines its CG parameter as the convex combination of CD and LS [20]. The author determines the convex combination parameter in such a way that the conjugacy condition is satisfied. Numerical comparisons reveal some superior performance of the hybrid method compared to some existing algorithms. Another form of modification to these methods is incorporating spectral parameters into the search direction by multiplying the first term of the search direction, i.e., $-g^{(k)}$, with a positive parameter that is updated in each iteration. Xue et al. [21] presented a spectral version of the DY CG method which ensured that the objective function is descending as the iteration progresses. The global convergence of their method was established under strong Wolfe conditions. Moreover, the numerical efficiency

of the method was also demonstrated in experiments involving impulse noise removal. For more details, readers may refer to the following references [22–30].

Based on the discussions thus far, one sees that research continues to explore ways to improve the theoretical and numerical efficiency of the existing CG methods. Thus, this article presents a modification of the CD CG method. Using the strategy of mathematical induction, the direction of search for the proposed CG method is shown to be descent. Furthermore, the sequence of the search direction is shown to be bounded, independent of any additional condition. The global convergence of the proposed method is established under common assumptions, and numerical experiments on a collection of some benchmark test problems are encouraging. The applicability of the proposed method is demonstrated in signal processing.

The rest of the article is organized by presenting the proposed method and its algorithm as well as its convergence results in the next section. The numerical efficiency of the proposed algorithm is investigated in Section 3, and subsequently, its application in sparse signal reconstruction is demonstrated in Section 4. Finally, the concluding remarks are presented in Section 5.

2. The Proposed Conjugate Descent Variant (CDV) Algorithm and Its Convergence Result

This section begins by stating the following standard assumption.

Assumption 1. Let $x^{(0)} \in \mathbb{R}^n$ denote an initial guess. The objective function f at $x \in \mathbb{R}^n$ is bounded below on the level set $\mathcal{Z} = \{x \in \mathbb{R}^n | f(x^{(0)}) \geq f(x)\}$. In addition, throughout some neighborhood of $\mathcal{Z}$, the function f is smooth and its gradient is Lipschitzian.

Remark 1. One can quickly draw the following remarks from the above Assumption 1.

- (i) Given any two different iterates $x^{(k)}$ and $x^{(k-1)}$ in $\widehat{\mathcal{Z}}$, i.e., neighborhood of $\mathcal{Z}$, the gradient of the objective function satisfies the following inequality:

$$\|g(x^{(k)}) - g(x^{(k-1)})\| \leq L\|x^{(k)} - x^{(k-1)}\|, \quad L > 0. \quad (4)$$

- (ii) Also, the sequences of the gradient $\{g(x^{(k)})\}$ as well as $\{x^{(k)}\}$ are bounded. That is, we can find a constant $r > 0$ such that

$$\|g(x^{(k)})\| \leq r, \quad \text{and} \quad \|x^{(k)}\| \leq r, \quad \forall k. \quad (5)$$

- (iii) Since the objective function is a decreasing function and the sequence of iterates $\{x^{(k)}\}$ generated by Algorithm 1 is contained in a bounded region, then $\{x^{(k)}\}$ converges.

All is now set to present the proposed conjugate descent variant (CDV) algorithm.

Remark 2. Since $g^{(k)}$ and $d^{(k-1)}$ are nonzero vectors, then leveraging the fact that there exists an α which satisfies the conditions (7) and (8) in a finite number of iterations gives the conclusion that the CDV algorithm 1 is well defined.

The following lemma shows that the proposed method is sufficiently descending.

Algorithm 1: A new Conjugate Descent Variant (CDV) algorithm

Input : $x^{(0)} \in \mathbb{R}^n$, $\sigma, \delta \in (0, 1)$ such that $0 < \delta < \sigma < 1$, $tol > 0$, $\alpha^{(0)} = 1$, and set $k := 0$.

Output: $x^{(*)}$
 Compute $g^{(0)}$.

Set

$$d^{(0)} \leftarrow -g^{(0)} \quad (6)$$

while $\|g^{(k)}\| > tol$ **do**

Choose, $\alpha^{(k)}$ that satisfy the following conditions:

$$f(x^{(k)} + \alpha^{(k)} d^{(k)}) \leq f^{(k)} + \delta \alpha^{(k)} g^{(k)T} d^{(k)}, \quad (7)$$

$$g^{(k+1)T} d^{(k)} \geq \sigma g^{(k)T} d^{(k)}, \quad (8)$$

Compute,

$$d^{(k)} := -g^{(k)} + \psi^{(k)} d^{(k-1)} \quad (9)$$

where $\psi^{(k)}$ is defined as

$$\psi^{(k)} := \frac{\delta \|g^{(k)}\|^2}{\max\{\delta d^{(k-1)T} g^{(k)} - g^{(k-1)T} d^{(k-1)}, \|g^{(k)}\| \|d^{(k-1)}\|\}} \quad (10)$$

Update $x^{(k+1)} \leftarrow x^{(k)} + \alpha^{(k)} d^{(k)}$.

Set $k \leftarrow k + 1$.

end

Lemma 1. Let $\sigma, \delta \in (0, 1)$. The sequence of search directions $\{d^{(k)}\}$ generated by Algorithm 1 is sufficiently descending, that is, we can find a positive constant $0 < z = (1 - \delta)$ for which the condition

$$g^{(k)T} d^{(k)} \leq -z \|g^{(k)}\|^2, \quad \forall k, \quad (11)$$

holds.

Proof. We prove (11) by mathematical induction. Indeed, if $k = 0$, then from step 2 of Algorithm 1, we have $g^{(0)T} d^{(0)} \leq -\|g^{(0)}\|^2 \leq -z \|g^{(0)}\|^2$. That is, (11) holds for $k = 0$. Now, assume the condition (11) holds for $k - 1$, then we have

$$g^{(k-1)T} d^{(k-1)} \leq -z \|g^{(k-1)}\|^2. \quad (12)$$

Next, we show that conclusion (11) holds for k . From the curvature condition (8) and the inequality (12), it is easy to establish that

$$\delta d^{(k-1)T} g^{(k)} - d^{(k-1)T} g^{(k-1)} \geq (\sigma \delta - 1) d^{(k-1)T} g^{(k-1)} > 0. \quad (13)$$

Next, we have two cases.

Case 1: Let $\max\{\delta d^{(k-1)T}g^{(k)} - g^{(k-1)T}d^{(k-1)}, \|g^{(k)}\| \|d^{(k-1)}\|\} = \delta d^{(k-1)T}g^{(k)} - g^{(k-1)T}d^{(k-1)}$, then

$$\begin{aligned} g^{(k)T}d^{(k)} &= -g^{(k)T}g^{(k)} + \psi^{(k)}g^{(k)T}d^{(k-1)} \\ &\leq -\|g^{(k)}\|^2 + \frac{\delta \|g^{(k)}\|^2}{\delta d^{(k-1)T}g^{(k)} - g^{(k-1)T}d^{(k-1)}} g^{(k)T}d^{(k-1)} \\ &= \|g^{(k)}\|^2 \left[-1 + \frac{\delta g^{(k)T}d^{(k-1)}}{\delta d^{(k-1)T}g^{(k)} - g^{(k-1)T}d^{(k-1)}} \right] \\ &= \|g^{(k)}\|^2 \left[\frac{g^{(k-1)T}d^{(k-1)}}{\delta d^{(k-1)T}g^{(k)} - g^{(k-1)T}d^{(k-1)}} \right] \\ &\leq \|g^{(k)}\|^2 \left[\frac{g^{(k-1)T}d^{(k-1)}}{(\sigma\delta - 1)g^{(k-1)T}d^{(k-1)}} \right] \\ &= -\frac{1}{(1 - \sigma\delta)} \|g^{(k)}\|^2 \\ &< -(1 - \delta) \|g^{(k)}\|^2. \end{aligned}$$

The last inequality follows from the fact that if $a, b \in (0, 1)$, then $\frac{1}{a} > b$.

Case 2: Let $\max\{\delta d^{(k-1)T}g^{(k)} - g^{(k-1)T}d^{(k-1)}, \|g^{(k)}\| \|d^{(k-1)}\|\} = \|g^{(k)}\| \|d^{(k-1)}\|$, then

$$\begin{aligned} g^{(k)T}d^{(k)} &= -g^{(k)T}g^{(k)} + \psi^{(k)}g^{(k)T}d^{(k-1)} \\ &= -\|g^{(k)}\|^2 + \frac{\delta \|g^{(k)}\|^2}{\|g^{(k)}\| \|d^{(k-1)}\|} g^{(k)T}d^{(k-1)} \\ &\leq -\|g^{(k)}\|^2 + \frac{\delta \|g^{(k)}\|^2}{\|g^{(k)}\| \|d^{(k-1)}\|} |g^{(k)T}d^{(k-1)}| \\ &\leq -\|g^{(k)}\|^2 + \frac{\delta \|g^{(k)}\|^2}{\|g^{(k)}\| \|d^{(k-1)}\|} \|g^{(k)}\| \|d^{(k-1)}\| \\ &= -(1 - \delta) \|g^{(k)}\|^2. \end{aligned}$$

Hence, the proof is complete. $\square$

Lemma 2. Suppose the gradient g is Lipschitz continuous. The sequence of search directions $\{d^{(k)}\}$ generated by Algorithm 1 is bounded by a positive number.

Proof. From the definition of the CG parameter $\{\psi^{(k)}\}$, it holds that

$$|\psi^{(k)}| \leq \frac{\delta \|g^{(k)}\|^2}{\|g^{(k)}\| \|d^{(k-1)}\|},$$

and so,

$$\begin{aligned} \|d^{(k)}\| &\leq \|g^{(k)}\| + |\psi^{(k)}| \|d^{(k-1)}\| \\ &\leq \|g^{(k)}\| + \frac{\delta \|g^{(k)}\|^2}{\|g^{(k)}\| \|d^{(k-1)}\|} \|d^{(k-1)}\| \\ &= (1 + \delta) \|g^{(k)}\| \\ &= (1 + \delta) r := \hat{r}. \end{aligned}$$

Hence, the proof is complete. $\square$

Lemma 3. Suppose Lemmas 1 and 2 hold and $\alpha^{(k)}$ satisfies the conditions (7) and (8). Then

$$\sum_{k=0}^{\infty} \frac{(g^{(k)T} d^{(k)})^2}{\|d^{(k)}\|^2} < +\infty. \quad (14)$$

Proof. The proof follows directly from the work of Zoutendijk [31]. $\square$

Now, we prove the convergence result of the proposed method.

Theorem 1. Suppose Assumption 1 holds. Let g denote the gradient of the objective function f and the sequence of iterates $\{x^{(k)}\}$ be produced by Algorithm 1. Then,

$$\liminf_{k \rightarrow \infty} \|g^{(k)}\| = 0. \quad (15)$$

Proof. If (15) does not hold, then there exists some constant $c > 0$ for which

$$\|g^{(k)}\| \geq c, \quad k \geq 0. \quad (16)$$

Furthermore, squaring both sides of (11) gives

$$(g^{(k)T} d^{(k)})^2 \geq z^2 \|g^{(k)}\|^4. \quad (17)$$

If we divide both sides of (17) by $\|d^{(k)}\|^2$ and take the summation, we have

$$\sum_{k=0}^{\infty} \frac{(g^{(k)T} d^{(k)})^2}{\|d^{(k)}\|^2} \geq z^2 \sum_{k=0}^{\infty} \frac{\|g^{(k)}\|^4}{\|d^{(k)}\|^2} \geq z^2 \sum_{k=0}^{\infty} \frac{r^4}{\hat{r}^2} = +\infty.$$

This is a contradiction with (14). Hence, (15) holds. $\square$

3. Comparative Experimentation

In this part, we conduct some comparative experimentation between the proposed CDY algorithm and other sets of algorithms, namely, TTCDDY [32], LSCDCC [33], ARMIL+ [34], and CD [16], for solving large-scale unconstrained optimization problems of the form of (1). All the implementation and experiments are carried out on a computer with a 1.60 GHz Intel Core i5-8265U and 20 GB of RAM on the Ubuntu 22.04.4 LTS operating system.

All the code was written in MATLAB, and then, executed on a personal computer, which has the above-stated specifications. The choices for the parameters in the implementation of the CDV are given, while for the rest of the methods, the selection is based on the reported values of those parameters. In brief, we state those initialized values as follows:

1. CDV algorithm:
The parameters used are $\sigma = 0.01$, $\delta = 0.0001$, and $tol = 0.000001$.
2. TTCDDY algorithm:
The parameters are as reported in [32].
3. ARMIL+ algorithm:
We adopted the initialization of the same values for the parameters as reported in [34].
4. LSCDCC algorithm:
The initialization of the parameters is as reported in [33].
5. CD algorithm[16]:
The parameter $\psi^{(k)CD}$ used is defined in the introduction section and a Wolfe line search strategy, with $\sigma = 0.01$, $\delta = 0.0001$, and $tol = 10^{-6}$ is adopted

The benchmark problems used in the experimentation are collected from the CUTEr optimization library [35]. The test problems considered have different starting points and dimensions ranging from $n = 100$ to $n = 500,000$. Also, the names of these test problems are presented in Table 1.

Moreover, in implementing these algorithms for all the attempted benchmark test problems, a stopping criterion corresponding to obtaining a solution with $\|g^{(k)}\| < tol * (1 + |f^{(k)}|)$ is used, or when the maximum number of iterations, 2000, is reached.

The performance of any new iterative algorithm is usually compared with some selected existing algorithms found in the literature based on some standard metrics. These metrics include ITR (the number of iterations performed by the algorithm), FVAL (the number of times a function is evaluated before the stopping criteria are attained), and GVAL (the number of gradient evaluations throughout the iteration process). Meanwhile, the time taken by an algorithm to complete a given task is also recorded, and it is denoted by CPU. This information for each algorithm is reported in Table 2.

Looking at the data presented in Table 2, it can be seen that the proposed CDV algorithm recorded no failures, except in 2 cases out of the 58 test problems solved. Interestingly, the proposed CDV algorithm can serve as an alternative to some problems. This is evident from the numerical performance of the CDV for problems 15, 27, and 40. This is because only the CDV algorithm was able to solve these problems within the specified stopping criteria. Considering the above-mentioned metrics of comparison, the CDV method performs better than its competitors in most cases, based on the reported information in the table.

The results obtained from the experimentation are graphically illustrated in Figure 1 based on the performance profile of Dolan and Moré [36]. It is obvious that the proposed CDV massively outperforms its competitors with respect to all the metrics considered.




Figure 1. The figures show the performance of the proposed CDV in comparison with the TTCCDDY, LSCDCC, ARMIL+ and CD algorithms using four comparative metrics: #ITER, #FVAL, #GVal, and CPU. These performances are indicated on 1a, 1b, 1c, and 1d respectively. The y-axis denotes the success rate, which is represented by cumulative probability $\rho(\tau)$, while the x-axis denoted by τ representing a metric data for an algorithm in $\log_2$ scale.

Table 1. List of considered benchmark test problems together with their respective dimensions and starting points written in MATLAB format, where $\text{ones}(\text{Dim},1)=[1,1,\dots,\text{Dim}]$, while $\text{zeros}(\text{Dim},1)=[0,0,\dots,\text{Dim}]$.

No.	Function Name	Dimension	Initial Points
		Dim	$x^{(0)}$
1	COSINE	6000	$1.0 \times \text{ones}(\text{Dim},1)$
2	COSINE	100,000	$1.0 \times \text{ones}(\text{Dim},1)$
3	COSINE	500,000	$1.0 \times \text{ones}(\text{Dim},1)$
4	DIXMAANA	6000	$2.0 \times \text{ones}(\text{Dim},1)$
5	DIXMAANA	90,000	$2.0 \times \text{ones}(\text{Dim},1)$
6	DIXMAANB	24,000	$2.0 \times \text{ones}(\text{Dim},1)$
7	DIXMAANB	48,000	$2.0 \times \text{ones}(\text{Dim},1)$
8	DIXMAANC	2700	$2.0 \times \text{ones}(\text{Dim},1)$
9	DIXMAANC	27,000	$2.0 \times \text{ones}(\text{Dim},1)$
10	DIXMAAND	12,000	$2.0 \times \text{ones}(\text{Dim},1)$
11	DIXMAAND	90,000	$2.0 \times \text{ones}(\text{Dim},1)$
12	DIXMAANE	2400	$2.0 \times \text{ones}(\text{Dim},1)$
13	DQDRTIC	9000	$3.0 \times \text{ones}(\text{Dim},1)$
14	DQDRTIC	90,000	$3.0 \times \text{ones}(\text{Dim},1)$
15	DQRTIC	5000	$2.0 \times \text{ones}(\text{Dim},1)$
16	EDENSCH	7000	$\text{zeros}(\text{Dim},1)$
17	EDENSCH	40,000	$\text{zeros}(\text{Dim},1)$
18	EDENSCH	100,000	$\text{zeros}(\text{Dim},1)$
19	EG2	100	$\text{ones}(\text{Dim},1)$
20	FLETCHCR	1000	$\text{zeros}(\text{Dim},1)$
21	FLETCHCR	50,000	$\text{zeros}(\text{Dim},1)$
22	FLETCHCR	200,000	$\text{zeros}(\text{Dim},1)$
23	GENROSE	10,000	$1/(\text{Dim}+1) \times \text{ones}(\text{Dim},1)$
24	HIMMELBG	70,000	$1.5 \times \text{ones}(\text{Dim},1)$
25	PENALTY1	4000	$-1.0 \times \text{ones}(\text{Dim},1)$
26	PENALTY1	10,000	$1.0 \times \text{ones}(\text{Dim},1)$
27	QUARTC	4000	$2.0 \times \text{ones}(\text{Dim},1)$
28	BDEXP	5000	$\text{ones}(\text{Dim},1)$
29	BDEXP	50,000	$\text{ones}(\text{Dim},1)$
30	BDEXP	500,000	$\text{ones}(\text{Dim},1)$
31	EXDENSCHNB	6000	$\text{ones}(\text{Dim},1)$
32	EXDENSCHNB	24,000	$\text{ones}(\text{Dim},1)$
33	GENQUARTIC	9000	$\text{ones}(\text{Dim},1)$
34	GENQUARTIC	90,000	$\text{ones}(\text{Dim},1)$
35	SINE	100,000	$\text{ones}(\text{Dim},1)$
36	SINE	250,000	$\text{ones}(\text{Dim},1)$
37	SINE	500,000	$\text{ones}(\text{Dim},1)$
38	FLETGBV3	100	$(1:\text{Dim})/(\text{Dim}+1) \times \text{ones}(\text{Dim},1)$
39	NONSCOMP	5000	$3.0 \times \text{ones}(\text{Dim},1)$
40	NONSCOMP	80,000	$3.0 \times \text{ones}(\text{Dim},1)$
41	RAYDAN1	500	$\text{ones}(\text{Dim},1)$
42	RAYDAN1	5000	$\text{ones}(\text{Dim},1)$
43	RAYDAN2	2000	$\text{ones}(\text{Dim},1)$
44	RAYDAN2	20,000	$\text{ones}(\text{Dim},1)$
45	RAYDAN2	500,000	$\text{ones}(\text{Dim},1)$
46	DIAGONAL1	800	$(1/\text{Dim}) \times \text{ones}(\text{Dim},1)$
47	DIAGONAL1	2000	$(1/\text{Dim}) \times \text{ones}(\text{Dim},1)$
48	DIAGONAL2	8000	$(1/(1:\text{Dim})) \times \text{ones}(\text{Dim},1)$
49	DIAGONAL3	500	$\text{ones}(\text{Dim},1)$
50	DIAGONAL3	2000	$\text{ones}(\text{Dim},1)$
51	BV	2000	$(1:\text{Dim})/(\text{Dim}+1) \times ((1:\text{Dim})/(\text{Dim}+1) - 1)$
52	IE	500	$(1:\text{Dim})/(\text{Dim}+1) \times ((1:\text{Dim})/(\text{Dim}+1) - 1)$
53	LIN	100	$\text{ones}(\text{Dim},1)$
54	LIN	1300	$\text{ones}(\text{Dim},1)$
55	OSB2	11	$[1.3, 0.65, 0.65, 0.7, 0.6, 3, 5, 7, 2, 4.5, 5.5]$
56	PEN2	160	$(1/2) \times (\text{ones}(\text{Dim},1))$
57	TRID	500	$(-1) \times (\text{ones}(\text{Dim},1))$
58	TRID	8000	$(-1) \times (\text{ones}(\text{Dim},1))$

Table 2. The performance of the proposed CDV algorithm in comparison with the TTCCDY, LSCDCC, ARMIL+, and CD algorithms on large-scale problems 1 to 58 evaluated based on the following metrics: #ITER, #FVAL, CPU, and NRM (norm value at an approx. solution). The notation ‘NaN’ indicates when an algorithm fails to solve a problem within the specified stopping criteria.

No.	TTCCDY	LSCDCC	ARMIL+	CDV	CD
	ITER/FVAL/GVAL/CPU	ITER/FVAL/GVAL/CPU	ITER/FVAL/GVAL/CPU	ITER/FVAL/GVAL/CPU	ITER/FVAL/GVAL/CPU
1	7/73/73/0.459	209/230/230/0.115	222/248/248/0.098	8/83/83/0.053	NaN/NaN/NaN/NaN
2	11/115/115/0.788	834/851/851/5.619	842/861/861/5.284	10/97/97/0.659	NaN/NaN/NaN/NaN
3	7/69/69/2.370	1852/1864/1864/67.264	1852/1864/1864/57.620	7/67/67/2.139	NaN/NaN/NaN/NaN
4	16/177/177/0.475	45/94/94/0.226	77/128/128/0.253	13/143/143/0.274	NaN/NaN/NaN/NaN
5	51/562/562/13.565	140/189/189/4.405	197/253/253/5.941	13/144/144/3.369	NaN/NaN/NaN/NaN
6	10/111/111/0.875	83/135/135/0.956	114/163/163/1.171	10/111/111/0.767	NaN/NaN/NaN/NaN
7	10/111/111/1.498	107/158/158/2.095	168/221/221/2.808	12/128/128/1.641	NaN/NaN/NaN/NaN
8	10/111/111/0.185	36/87/87/0.087	63/115/115/0.112	11/119/119/0.115	NaN/NaN/NaN/NaN
9	11/122/122/0.926	79/129/129/0.971	330/389/389/3.077	12/133/133/1.057	NaN/NaN/NaN/NaN
10	11/122/122/0.542	88/141/141/0.521	109/160/160/0.607	11/122/122/0.467	NaN/NaN/NaN/NaN
11	12/133/133/3.144	133/183/183/4.310	301/360/360/8.511	12/133/133/3.169	NaN/NaN/NaN/NaN
12	240/2618/2618/2.349	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN
13	70/771/771/0.123	NaN/NaN/NaN/NaN	1373/1430/1430/0.227	1090/11951/11951/2.018	NaN/NaN/NaN/NaN
14	40/441/441/0.602	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	1282/14045/14045/18.206	NaN/NaN/NaN/NaN
15	26/287/287/0.446	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	26/287/287/0.420	NaN/NaN/NaN/NaN
16	10/111/111/0.226	42/67/67/0.136	80/105/105/0.283	18/199/199/0.473	821/6151/6151/12.415
17	7/77/77/0.781	83/102/102/1.095	139/159/159/1.655	10/111/111/1.059	351/2737/2737/26.945
18	6/62/62/1.511	123/143/143/3.844	765/785/785/19.804	6/61/61/1.543	521/3944/3944/96.132
19	427/4584/4584/0.167	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN
20	15/146/146/0.019	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	87/867/867/0.029	616/5216/5216/0.164
21	9/95/95/0.085	44/68/68/0.074	NaN/NaN/NaN/NaN	44/483/483/0.544	639/4894/4894/5.359
22	9/99/99/0.397	32/54/54/0.302	361/382/382/1.784	56/612/612/2.298	692/5190/5190/17.995
23	7/78/78/0.062	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	7/78/78/0.016	NaN/NaN/NaN/NaN
24	10/111/111/0.537	373/374/374/1.389	373/374/374/1.302	10/111/111/0.358	2/13/13/0.046
25	12/133/133/1.524	34/95/95/1.107	34/92/92/1.067	12/133/133/1.496	150/1232/1232/13.970
26	14/155/155/10.717	337/399/399/27.857	328/383/383/26.776	14/155/155/10.735	178/1423/1423/97.388
27	25/276/276/0.312	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	25/276/276/0.290	NaN/NaN/NaN/NaN
28	11/122/122/0.177	27/28/28/0.035	27/28/28/0.032	11/122/122/0.101	2/18/18/0.009
29	12/133/133/0.986	78/79/79/0.620	78/79/79/0.633	12/133/133/0.983	2/22/22/0.109
30	13/144/144/10.223	240/241/241/19.090	240/241/241/17.660	13/144/144/10.324	2/15/15/0.906
31	11/121/121/0.035	61/107/107/0.013	97/148/148/0.016	12/129/129/0.013	NaN/NaN/NaN/NaN
32	76/825/825/0.313	105/151/151/0.076	260/312/312/0.134	10/110/110/0.031	NaN/NaN/NaN/NaN
33	11/122/122/0.062	75/127/127/0.034	92/148/148/0.040	16/177/177/0.041	NaN/NaN/NaN/NaN
34	15/166/166/0.278	123/173/173/0.362	281/336/336/0.612	16/177/177/0.266	NaN/NaN/NaN/NaN
35	8/70/70/0.665	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	14/123/123/1.193	NaN/NaN/NaN/NaN
36	39/357/357/8.745	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	30/300/300/7.311	NaN/NaN/NaN/NaN
37	32/110/110/4.180	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	57/135/135/6.346	NaN/NaN/NaN/NaN
38	4/33/33/0.028	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	7/76/76/0.010	284/1870/1870/0.077
39	163/1744/1744/0.524	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	105/1117/1117/0.126	NaN/NaN/NaN/NaN
40	92/950/950/1.201	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	91/953/953/1.294	NaN/NaN/NaN/NaN
41	NaN/NaN/NaN/NaN	309/336/336/0.011	964/987/987/0.031	473/5090/5090/0.144	NaN/NaN/NaN/NaN
42	NaN/NaN/NaN/NaN	187/209/209/0.078	582/599/599/0.115	295/3134/3134/0.462	NaN/NaN/NaN/NaN
43	6/67/67/0.025	28/52/52/0.006	28/52/52/0.005	6/67/67/0.008	339/2037/2037/0.174
44	4/45/45/0.077	63/77/77/0.198	63/77/77/0.136	4/45/45/0.066	329/1979/1979/2.317
45	4/43/43/1.402	302/314/314/13.846	302/314/314/12.031	4/43/43/1.331	4/28/28/0.973
46	NaN/NaN/NaN/NaN	294/315/315/0.029	NaN/NaN/NaN/NaN	134/1294/1294/0.125	1818/14215/14215/1.351
47	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	725/745/745/0.145	133/1151/1151/0.237	1519/11507/11507/2.318
48	311/3176/3176/2.704	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN
49	825/8973/8973/0.605	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	475/5194/5194/0.319	1666/12850/12850/0.749
50	NaN/NaN/NaN/NaN	135/157/157/0.035	987/1020/1020/0.201	234/2544/2544/0.453	1090/8444/8444/1.566
51	104/1132/1132/5.885	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	709/7742/7742/40.712	NaN/NaN/NaN/NaN
52	18/70/70/3.179	12/50/50/2.220	47/89/89/3.926	17/78/78/4.040	NaN/NaN/NaN/NaN
53	1/9/9/0.054	245/269/269/0.194	245/269/269/0.191	1/9/9/0.013	1707/12702/12702/7.174
54	22/102/102/224.403	41/96/96/208.022	41/96/96/193.448	21/99/99/174.088	NaN/NaN/NaN/NaN
55	1815/3663/3663/0.310	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN	NaN/NaN/NaN/NaN
56	NaN/NaN/NaN/NaN	4/8/8/0.004	12/22/22/0.003	4/16/16/0.004	NaN/NaN/NaN/NaN
57	43/123/123/0.065	70/125/125/0.049	541/593/593/0.271	82/151/151/0.071	NaN/NaN/NaN/NaN
58	69/171/171/13.336	871/929/929/84.611	163/222/222/20.396	476/684/684/61.736	NaN/NaN/NaN/NaN

4. Application of the Proposed CDV to Signal Recovery

This segment of the paper pertains to signal recovery, in particular compressing sensing, CS. The problem has received considerable interest among researchers and is formulated as a sum of two terms: an underdetermined linear least-squares formulation and a positive scalar, λ , multiple of a non-smooth function such as the l_1 regularizer. The CS problem essentially aims at reconstructing a signal from a sparsely measured vector. The problem has wide-ranging uses, including file recovery, decoding images, and many more. The problem can be expressed as an unconstrained optimization as follows:

$$\min_{x \in \mathbb{R}^n} \|Kx - l\|_2^2 + \psi g(x) \quad (18)$$

where $K \in \mathbb{R}^{m \times n}$, $m \ll n$ is often referred to as a sensing matrix, $l \in \mathbb{R}^m$ is a measurement vector, $g(x)$ denotes a regularization function which is non-smooth, while ψ is the regularization constant. The task is to recover a sparse signal $x \in \mathbb{R}^n$. Since, as mentioned above, $g(x)$, for example, $\|\cdot\|_1$, is non-smooth; thus, some smooth approaches that closely approximate the l_1 regularizer were suggested as alternative means for solving problem (18).

There are some recently introduced smooth approximating functions [37] for absolute value functions, such as $g(x) := x \cdot \tanh(x/\lambda)$, in which λ is simply a smoothing constant. It is proved in [37], Theorem 1, that $\|x - g(x)\|_1 < \lambda$. Therefore, we can re-express formulation (18) into its approximate smooth equivalent as

$$\min_{x \in \mathbb{R}^n} \|Kx - l\|_2^2 + \psi \sum_{j=1}^n g(x_j), \quad (19)$$

Since the above expression is smooth, the proposed algorithm and other smooth-based algorithms for unconstrained optimization problems can be used to solve it.

Experimental data generation and initialization. In implementing the proposed CDV together with an existing algorithm selected for comparison, we chose the dimension of the signal, $n := 2^{12}$, and set the number of observations, $m = \mu n$, with $\mu = 0.2$. Leveraging the setup put forward in [38], the signal matrix operator K is a Hadamard matrix that is made up of 1s and -1 s and its columns are orthogonal. The two algorithms were initialized with a zero vector, i.e., $\bar{x}^0 = \mathbf{0} \in \mathbb{R}^n$. Moreover, the rest of the parameters associated with solving the CS model (19) are defined as follows:

- The regularized parameter $\psi := \max\{2^{-10}, \mu_2 \|K^T l\|_\infty\}$, where $\mu_2 = 0.001$.
- The positive constant, λ is set to 0.1, as suggested in [37].
- The remaining algorithm-specific parameters remain the same as reported in Section 3, thus, they are unchanged.

The performances of the proposed CDV and TTCDDY algorithms are measured extensively using the relative error metric, which is characterized as the following ratio:

$$\frac{\|\bar{x} - x_{sol}\|}{\|x_{sol}\|} \times 100,$$

where x_{sol} is the approximate solution of the model (19).

We portray the results that were obtained from running the experiment in Figure 2a–d. Figure 2a,b represent the initial or original uncorrupted signal and the corrupted version of the original, respectively. The final outputs or recovered signals obtained by TTCDDY and CDV, as indicated by marked red circles, are depicted by Figure 2c,d. We can observe that the CDV algorithm performs considerably better than TTCDDY with respect to the relative error metric. Thus, agreeing with a similar performance of the CDV algorithm in the numerical section.




Figure 2. The figures show the performance of the proposed CDV in comparison with the TTCDDY algorithm; the comparison is conducted based on the relative error metric. In which 2a is the diagram of the original signal (in blue), 2b represent the noisy observation measurement, while the restored signals by both CDV and TTCDDY in red circles versus the original signal in blue peaks is denoted by 2c and 2d respectively.

5. Conclusions

In this article, we have presented a new conjugate gradient method (named CDV) that is a variant of the popular conjugate descent method (often referred to as CD) [16]. We have extensively discussed the global convergence of the proposed method based on the famous Wolfe line search strategy as well as some stated standard conditions. The CDV method was designed to deal with any problem that can take the structure of general unconstrained optimization problems and has been applied to solve two sets of nonlinear problems, namely, some benchmark test problems and problems arising from compressive sensing. The numerical performance and efficiency of the CDV method are superior compared to some selected CG methods in the literature. Future research should explore how the CDV algorithm could be modified to avoid the differentiability assumption in order to suit problems in the form of nonlinear systems of equations, especially when the solution set is constrained and the underlying function is pseudomonotone [39–42].

Author Contributions: Conceptualization, M.M.Y. and A.M.A.; methodology, A.M.A.; software, A.M.A. and N.P. (Nattawut Pholasa); validation, A.M.A., M.M.Y., N.P. (Nuttapol Pakkaranang), and N.P. (Nattawut Pholasa); formal analysis, A.M.A., M.M.Y., and N.P. (Nattawut Pholasa); investigation, A.M.A. and N.P. (Nuttapol Pakkaranang); resources, M.M.Y. and N.P. (Nattawut Pholasa); data curation, A.M.A. and M.M.Y.; writing—original draft preparation, A.M.A., M.M.Y., N.P. (Nuttapol Pakkaranang), and N.P. (Nattawut Pholasa); writing—review and editing, A.M.A., M.M.Y., N.P. (Nuttapol Pakkaranang), and N.P. (Nattawut Pholasa); visualization, N.P. (Nattawut Pholasa); supervision, A.M.A., N.P. (Nuttapol Pakkaranang), and N.P. (Nattawut Pholasa); project administration, A.M.A.,

N.P. (Nuttapol Pakkaranang), and N.P. (Nattawut Pholasa); funding acquisition, N.P. (Nattawut Pholasa). All authors have read and agreed to the published version of the manuscript.

Funding: This research was supported by the University of Phayao and Thailand Science Research and Innovation Fund (Fundamental Fund 2024) and School of Science, University of Phayao (Grant No. PBTSC66053).

Data Availability Statement: No new data were created or analyzed in this study. Data sharing is not applicable to this article.

Acknowledgments: The third author would like to thank Phetchabun Rajabhat University.

Conflicts of Interest: The authors declare no conflicts of interest.

References

1. Wang, L.; Zhou, B. A Modified Gradient Method for Distributionally Robust Logistic Regression over the Wasserstein Ball. *Mathematics* **2023**, *11*, 2431.
2. Awwal, A.M.; Sulaiman, I.M.; Malik, M.; Mamat, M.; Kumam, P.; Sitthithakerngkiet, K. A Spectral RMIL+ Conjugate Gradient Method for Unconstrained Optimization With Applications in Portfolio Selection and Motion Control. *IEEE Access* **2021**, *9*, 75398–75414.
3. Yahaya, M.M.; Kumam, P.; Awwal, A.M.; Aji, S. A structured quasi-Newton algorithm with nonmonotone search strategy for structured NLS problems and its application in robotic motion control. *J. Comput. Appl. Math.* **2021**, *395*, 113582.
4. Sulaiman, I.M.; Malik, M.; Awwal, A.M.; Kumam, P.; Mamat, M.; Al-Ahmad, S. On three-term conjugate gradient method for optimization problems with applications on COVID-19 model and robotic motion control. *Adv. Contin. Discret. Model.* **2022**, *2022*, 1.
5. Yahaya, M.M.; Kumam, P.; Chaipunya, P.; Awwal, A.M.; Wang, L. On diagonally structured scheme for nonlinear least squares and data-fitting problems. *Rairo-Oper. Res.* **2024**, *58*, 2887–2905. <http://dx.doi.org/10.1051/ro/2024102>.
6. Salihu, N.; Babando, H.A.; Arzuka, I.; Salihu, S. A hybrid conjugate gradient method for unconstrained optimization with application. *Bangmod Int. J. Math. Comput. Sci.* **2023**, *9*, 24–44.
7. Leung, M.F.; Wang, J. A collaborative neurodynamic approach to multiobjective optimization. *IEEE Trans. Neural Networks Learn. Syst.* **2018**, *29*, 5738–5748.
8. Sun, W.; Yuan, Y.X. *Optimization Theory and Methods: Nonlinear Programming*; Springer Science & Business Media: Berlin/Heidelberg, Germany, 2006; Volume 1.
9. Wolfe, P. Convergence conditions for ascent methods. *SIAM Rev.* **1969**, *11*, 226–235.
10. Wolfe, P. Convergence conditions for ascent methods. ii: Some corrections. *SIAM Rev.* **1971**, *13*, 185–188.
11. Hestenes, M. R.; Stiefel, E. Methods of conjugate gradients for solving linear systems. *J. Res. Nat. Bur. Stand.* **1952**, *49*, 409–435.
12. Polak, E.; Ribiere, G. Note sur la convergence de methodes de directions conjuguées. *USSR Comput. Math. Math. Phys.* **1969**, *9*, 94–112.
13. Polyak, B.T. A general method for solving extremal problems. *Dokl. Akad. Nauk. SSSR* **1967**, *174*, 33–36.
14. Liu, Y.; Storey, C. Efficient generalized conjugate gradient algorithms, part 1: Theory. *J. Optim. Theory Appl.* **1991**, *69*, 129–137.
15. Fletcher, R.; Powell, M.J.D. A rapidly convergent descent method for minimization. *Comput. J.* **1963**, *6*, 163–168.
16. Fletcher, R. *Practical Methods of Optimization*; A Wiley Interscience Publication: Hoboken, NJ, USA, 1987.
17. Dai, Y.H.; Yuan, Y.X. A nonlinear conjugate gradient method with a strong global convergence property. *SIAM J. Optim.* **1999**, *10*, 177–182.
18. Babaie-Kafaki, S. A hybrid conjugate gradient method based on a quadratic relaxation of the Dai–Yuan hybrid conjugate gradient parameter. *Optimization* **2013**, *62*, 929–941.
19. Hager, W.W.; Zhang, H. A survey of nonlinear conjugate gradient methods. *Pac. J. Optim.* **2006**, *2*, 35–58.
20. Djordjević, S.S. New hybrid conjugate gradient method as a convex combination of LS and CD methods. *Filomat* **2017**, *31*, 1813–1825.
21. Xue, W.; Ren, J.; Zheng, X.; Liu, Z.; Liang, Y. A new DY conjugate gradient method and applications to image denoising. *IEICE Trans. Inf. Syst.* **2018**, *101*, 2984–2990.
22. Dai, Z.; Chen, X.; Wen, F. Comments on A hybrid conjugate gradient method based on a quadratic relaxation of the Dai–Yuan hybrid conjugate gradient parameter. *Optimization* **2015**, *64*, 1173–1175.
23. Djordjević, S.S. New hybrid conjugate gradient method as a convex combination of LS and FR methods. *Acta Math. Sci.* **2019**, *39*, 214–228.
24. Guefassa, I.; Chaib, Y.; Bechouat, T. Another hybrid conjugate gradient method as a convex combination of WYL and CD methods. *Monte Carlo Methods Appl.* **2024**. <https://doi.org/10.1515/mcma-2024-2007>.
25. Hallal, A.; Belloufi, M.; Sellami, B. An efficient new hybrid CG-method as convex combination of DY, CD and HS algorithms. *RAIRO-Oper. Res.* **2022**, *56*, 4047–4056.
26. Jardow, F. N.; Al-Naemi, G.M. A new hybrid conjugate gradient algorithm for unconstrained optimization with inexact line search. *Indones. J. Electr. Eng. Comput. Sci.* **2020**, *20*, 939–947.

27. Zhang, L. Two modified Dai-Yuan nonlinear conjugate gradient methods. *Numer. Algorithms* **2008**, *50*, 1–16.
28. Tian, Q.; Wang, X.; Pang, L.; Zhang, M.; Meng, F. A new hybrid three-term conjugate gradient algorithm for large-scale unconstrained problems. *Mathematics* **2021**, *9*, 1353.
29. Jian, J.; Yang, L.; Jiang, X.; Liu, P.; Liu, M. A spectral conjugate gradient method with descent property. *Mathematics* **2020**, *8*, 280.
30. Shi, Z.J.; Guo, J. A new family of conjugate gradient methods. *J. Comput. Appl. Math.* **2009**, *224*, 444–457.
31. Zoutendijk, G. *Nonlinear Programming, Computational Methods*; Abadie, J., Ed.; Integer and Nonlinear Programming: Amsterdam, The Netherlands, 1970; pp. 37–86.
32. Deepho, J.; Abubakar, A.B.; Malik, M.; Argyros, I.K. Solving unconstrained optimization problems via hybrid CD-DY conjugate gradient methods with applications *J. Comput. Appl. Math.* **2022**, *405*, 113823.
33. Wang, Z.; Li, P.; Li, X.; Pham, H. A Modified Three-Term Type CD Conjugate Gradient Algorithm for Unconstrained Optimization Problems. *Math. Probl. Eng.* **2020**, *2020*, 4381515.
34. Awwal, A.M.; Wang, L.; Kumam, P.; Sulaiman, M.I.; Salisu, S.; Salihu, N.; Yodjai, P. Generalized RMIL conjugate gradient method under the strong Wolfe line search with application in image processing. *Math. Methods Appl. Sci.* **2023**, *46*, 17544–17556.
35. Gould, N.I.M.; Orban, D.; Toint, P.L. CUTER and SifDec: A constrained and unconstrained testing environment, revisited. *ACM Trans. Math. Softw. (TOMS)* **2003**, *29*, 373–394.
36. Dolan, E.D.; Moré, J.J. Benchmarking optimization software with performance profiles. *Math. Program.* **2002**, *9*, 201–213.
37. Bagul, Y.J.J. A smooth transcendental approximation to $|x|$. *Int. J. Math. Sci. Engg. Appls. (IJMSEA)* **2017**, *11*, 213–217.
38. Aminifard, Z.; Hosseini, A.; Babaie-Kafaki, S. Modified conjugate gradient method for solving sparse recovery problem with nonconvex penalty. *Signal Process.* **2022**, *193*, 108424.
39. Yusuf, A.; Manjak, N.H.; Aphane, M. A Modified Three-Term Conjugate Descent Derivative-Free Method for Constrained Nonlinear Monotone Equations and Signal Reconstruction Problems. *Mathematics* **2024**, *12*, 1649.
40. Awwal, A.M.; Kumam, P.; Mohammad, H.; Watthayu, W.; Abubakar, A.B. A Perry-type derivative-free algorithm for solving nonlinear system of equations and minimizing ℓ_1 regularized problem. *Optimization* **2021**, *70*, 1231–1259.
41. Awwal, A.M.; Kumam, P.; Sitthithakerngkiet, K.; Muhammad, A.B.; Abubakar, S.H.; Ibrahim, M.S. Derivative-free method based on DFP updating formula for solving convex constrained nonlinear monotone equations and application. *AIMS Math.* **2021**, *6*, 8792–8814.
42. Awwal, A.M.; Botmart, T. A new sufficiently descent algorithm for pseudomonotone nonlinear operator equations and signal reconstruction. *Numer. Algorithms* **2023**, *94*, 1125–1158.

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.